

Clifton Campville with Thorpe Constantine Parish Council

Health and Safety Responsibilities & Risk Assessment

CLIFTON CAMPVILLE				
Place/Item	Location	Supervisor(s)	Responsibilities	Notes/Action Required
Bench	Main Street between Jacksons and the School	Clifton Campville with Thorpe Constantine Councillors	General check of item for unsafe condition.	No issues to report
Notice Board	North side of Main Street next to post box opposite St Davids Road	Clifton Campville with Thorpe Constantine Councillors	General check of item for unsafe condition.	No issues to report
Bus Shelter	South side of Main Street. Opposite Green Man Public House	Clifton Campville with Thorpe Constantine Councillors	General check of item for unsafe condition.	No issues to report
Bus Shelter	Located South side of Main Street, located between the Rectory and Old Rectory	Clifton Campville with Thorpe Constantine Councillors	General check of item for unsafe condition.	No issues to report
Defibrillator Cabinet	Outside Village Hall, Church Street	Clifton Campville with Thorpe Constantine Councillors	General check of item for unsafe condition.	No issues to report
Telephone Kiosk	South side of Main Street, (outside 114 Main Street)	Clifton Campville with Thorpe Constantine Councillors	General check of item for unsafe condition.	No issues to report
Assessor Name				Date of Assessment
Assessors Signature				

Clifton Campville with Thorpe Constantine Parish Council

Health and Safety Responsibilities & Risk Assessment

HAUNTON

Place/Item	Location	Supervisor(s)	Responsibilities	Notes/Action Required
Bus Shelter 1	South side of Main Road in front of car park to S.S. Michael & James (RC) Church	Clifton Campville with Thorpe Constantine Councillors	General check of item for unsafe condition.	
Bus Shelter 2	On the Green, south side of Main Road at corner of Syerscote Lane	Clifton Campville with Thorpe Constantine Councillors	General check of item for unsafe condition.	
Sign Board	North side of Main Road, on brick boundary wall to Haunton Grange	Clifton Campville with Thorpe Constantine Councillors	General check of item/area for unsafe condition.	
Bench	On the Green adjacent to Bus Shelter 2	Clifton Campville with Thorpe Constantine Councillors	General check of items for unsafe condition.	
Telephone Kiosk	South side of Main Road in front of boundary wall to S.S. Michael & James (RC) Church	Clifton Campville with Thorpe Constantine Councillors	General check of item for unsafe condition.	No issues to report

Assessor Name		Date of Assessment	
Assessors Signature			